REVELATION DSX 5.15

Assay type : Endpoint

Assay title : Rubella IgM Medac

Password Written by

Prefix
Suffix

Report layout : Header information

: Removed outliers : Edited wells : Calculation mode : Blank mode : Q.C. equations : Data matrix

: Ratio : Threshold

Header information : Filename, Date, Plate ID, Assay title, Page, Q.C. summary

Footer :

Well fill verification (405 nm, *)

ODs of wells A1-H12 must be greater than 0,020

Pipette Samples/Standards/Controls

Plate dispense time is not time critical

Prepare all deep wells first before transfer to microtiter plate

Pipette 50 ul of m_Rubella IgM NK to wells of type: NC1

Preparation order: 1

Fluid aspirate/dispense profile: 1 / 4

Tip to dispense into microtiter well does not have to be clean Fluid into microtiter well must be a single shot dispense

Pipette 50 ul of m_Rubella IgM PK to wells of type: PC1

Preparation order: 2

Fluid aspirate/dispense profile: 1 / 4

Tip to dispense into microtiter well does not have to be clean Fluid into microtiter well must be a single shot dispense

Pipette 50 ul of Sample to wells of type: Test (T)

Preparation order: always last

Tip to dispense into microtiter well does not have to be clean Fluid into microtiter well can be from a multiple shot dispense

Pipette diluent first into deep wells

Share deep well dilutions for replicates on this assay
Deep well contents can be shared across multiple plates
Dispense of sample into the deep well can be from a used tip
Dispense of sample into the deep well must be a single shot dispense

When mixing in the deep well the tip does not have to be clean

Mixing in the deep well must occur immediately after the dispense of sample

Dilute 10 ul of sample with 990 ul of M_virol Probenpuffer, using deep well plate, 2 mix cycles

Dilution volume will be optimised with a minimum sample volume of 10 ul

Incubate for 60 minutes at 37,0 C

Longest Time: 65 minutes

Shake for 10 seconds at low speed

Wash plate

Purge the washer with 3,00 mls of Medac_Waschpuffer

Perform a 3 cycle wash with constant timing For each strip perform the following operations:

Dispense 200 uls of Medac_Waschpuffer

Do final aspirate cycle

Clean the washer after use with 3,00 mls of Agua Dest.

Dispense 60 uls of M_Rubella IgM ELA to wells B1-H12, aspirate profile 1, dispense profile 4

Incubate for 60 minutes at 37,0 C

Longest Time: 65 minutes

Wash plate

Purge the washer with 3,00 mls of Medac_Waschpuffer Perform a 3 cycle wash with constant timing For each strip perform the following operations: Dispense 200 uls of Medac_Waschpuffer Do final aspirate cycle

Clean the washer after use with 3,00 mls of Aqua Dest.

Dispense 50 uls of Medac_Substrat to wells A1-H12, aspirate profile 1, dispense profile 4

Incubate for 30 minutes at 37,0 C

Longest Time: 32 minutes

Dispense 100 uls of Medac_Stopplsg to wells A1-H12, aspirate profile 1, dispense profile 4

Reader

Test wavelength : 450 nm
Ref. wavelength : 620 nm
Initial shake : 5 Seconds
Start mode : Immediate
Calculation mode : Endpoint
Results format : OD

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|------|------|------|------|------|------|------|------|------|------|------|------|
| Α | B1s | T5s | T13s | T21s | T29s | T37s | T45s | T53s | T61s | T69s | T77s | T85s |
| В | NC1s | T6s | T14s | T22s | T30s | T38s | T46s | T54s | T62s | T70s | T78s | T86s |
| С | NC1s | T7s | T15s | T23s | T31s | T39s | T47s | T55s | T63s | T71s | T79s | T87s |
| D | PC1s | T8s | T16s | T24s | T32s | T40s | T48s | T56s | T64s | T72s | T80s | T88s |
| Е | T1s | T9s | T17s | T25s | T33s | T41s | T49s | T57s | T65s | T73s | T81s | T89s |
| F | T2s | T10s | T18s | T26s | T34s | T42s | T50s | T58s | T66s | T74s | T82s | T90s |
| G | T3s | T11s | T19s | T27s | T35s | T43s | T51s | T59s | T67s | T75s | T83s | T91s |
| Н | T4s | T12s | T20s | T28s | T36s | T44s | T52s | T60s | T68s | T76s | T84s | T92s |

s indicates that a sample ID is required for this well location

Blank mode : Average Q.C. equations : B<0.1

: NC<0.1 : PC>0.8 : Yes : No

Full Q.C. Report : Yes
Suppress results : No
Lot specific check : No
Output format : Matrix

Matrix options : Calculated data, Sample ID

Average replicates : No
Mean : Arithmetic
Area statistics : No
Export to file : No

Ratio

Ratio equation : Sample/(NC+0.32)

Result units : Data conversion : Result units :

Output format : No matrix, no table

Average replicates : No

Mean : Arithmetic

Threshold

- equation : 0.9 + equation : 1.1 No. of segments - label : 1 : neg : ??? : POS 0 label + label Histogram : No Q.C. equations Full Q.C. Report : Yes Suppress results
Lot specific check : No : No

Output format : No matrix, no table

Average replicates : Yes
Mean : Arithmetic

DYNEX TECHNOLOGIES