

medac GmbH | Postfach 1355 | 22880 Wedel

To whom it may concern:

Sitz der Gesellschaft:
medac GmbH
Theaterstraße 6
22880 Wedel
Germany

Tel.: +49 (0)4103 8006-0
Fax: +49 (0)4103 8006-100
www.medac.de

Information about Compilation of Safety Data Sheets for products from the company SeraCare Life Sciences, Inc.

Product: **TMB Membrane Enhancer, article number: 5420-0026**

All components of the aforementioned mixture had been classified according to Regulation (EC) No. 1907/2006 (REACH) and to Regulation (EC) No. 1272/2008 (GHS/CLP). None of the components had been classified as hazardous substances according to the aforementioned Regulations. Therefore, no Safety Data Sheet had been compiled. When handling the TMB Membrane Enhancer, the general and specific safety precautions for laboratories and the corresponding directives have to be followed.

Date of issue: March 2017

medac

Product Safety

Safety Health Environment

Phone: +49 (0)4103 8006 0

Fax: +49 (0)4103 8006 100

E-mail: productsafety@medac.de

Theaterstrasse 6

22880 Wedel

Germany

Geschäftsführer:

Jens Denker

Dr. Rainer Dickhardt

Jörg Hans

Dr. Ulrich Kosciessa

Nikolaus Graf Stolberg

Heiner Will

Registergericht:

Pinneberg HRB 12042 PI

Umsatzsteuer ID:

DE 118579535