

medac GmbH | Postfach 1355 | 22880 Wedel

To whom it may concern:

Sitz der Gesellschaft:

medac GmbH  
Theaterstraße 6  
22880 Wedel  
Germany

Tel.: +49 (0)4103 8006-0  
Fax: +49 (0)4103 8006-100  
[www.medac.de](http://www.medac.de)

**Information about Compilation of Safety Data Sheets  
for products from the company SeraCare Life Sciences, Inc.**

**Products:**

**BluePhos Microwell Substrate Kit, article number: 5120-0059**

**BluePhos Microwell Substrate Kit, article number: 5120-0060**

**BluePhos Microwell Substrate Kit, article number: 5120-0061**

All components of the BluePhos Microwell Substrate Kit had been classified according to Regulation (EC) No. 1907/2006 (REACH) and to Regulation (EC) No. 1272/2008 (GHS/CLP). None of the kit components had been classified as hazardous substances according to the aforementioned Regulations. Therefore, no Safety Data Sheets had been compiled. When handling the BluePhos Microwell Substrate Kit, the general and specific safety precautions for laboratories and the corresponding directives have to be followed.

Date of issue: March 2017

**medac**

Product Safety

Safety Health Environment

Phone: +49 (0)4103 8006 0

Fax: +49 (0)4103 8006 100

E-mail: [productsafety@medac.de](mailto:productsafety@medac.de)

Theaterstrasse 6

22880 Wedel

Germany

**Geschäftsführer:**

Jens Denker  
Dr. Rainer Dickhardt  
Jörg Hans  
Dr. Ulrich Kosciessa  
Nikolaus Graf Stolberg  
Heiner Will

**Registergericht:**

Pinneberg HRB 12042 PI

**Umsatzsteuer ID:**

DE 118579535