

medac GmbH | Postfach 1355 | 22880 Wedel

To whom it may concern:

Sitz der Gesellschaft:

medac GmbH
Theaterstraße 6
22880 Wedel
Germany

Tel.: +49 (0)4103 8006-0
Fax: +49 (0)4103 8006-100
www.medac.de

**Information about Compilation of Safety Data Sheets
for products from the company SeraCare Life Sciences, Inc.**

Products:

10X Tris-Glycine Transfer Buffer, article number: 5460-0011

10X Tris-Glycine Transfer Buffer, article number: 5460-0012

All components of the aforementioned mixtures had been classified according to Regulation (EC) No. 1907/2006 (REACH) and to Regulation (EC) No. 1272/2008 (GHS/CLP). None of the components had been classified as hazardous substances according to the aforementioned Regulations. Therefore, no Safety Data Sheets had been compiled. When handling the 10X Tris-Glycine Transfer Buffer, the general and specific safety precautions for laboratories and the corresponding directives have to be followed.

Date of issue: May 2017

medac

Product Safety

Safety Health Environment

Phone: +49 (0)4103 8006 0

Fax: +49 (0)4103 8006 100

E-mail: productsafety@medac.de

Theaterstrasse 6

22880 Wedel

Germany

Geschäftsführer:

Jens Denker
Dr. Rainer Dickhardt
Jörg Hans
Dr. Ulrich Kosciessa
Nikolaus Graf Stolberg
Heiner Will

Registergericht:

Pinneberg HRB 12042 PI

Umsatzsteuer ID:

DE 118579535