

medac GmbH | Postfach 1355 | 22880 Wedel

To whom it may concern:

Sitz der Gesellschaft:  
medac GmbH  
Theaterstraße 6  
22880 Wedel  
Germany

Tel.: +49 (0)4103 8006-0  
Fax: +49 (0)4103 8006-100  
[www.medac.de](http://www.medac.de)

## **Information about Compilation of Safety Data Sheets for products from the company SeraCare Life Sciences, Inc.**

### **Product:**

**Protein Detector LumiGLO Western Blotting Kit, HRP, article number: 5410-0009**

All components of the aforementioned kit had been classified according to Regulation (EC) No. 1907/2006 (REACH) and to Regulation (EC) No. 1272/2008 (GHS/CLP). None of the components had been classified as hazardous substances according to the aforementioned Regulations. Therefore, no Safety Data Sheet had been compiled. When handling the Protein Detector LumiGLO Western Blotting Kit, HRP, the general and specific safety precautions for laboratories and the corresponding directives have to be followed.

Date of issue: March 2017

**medac**

Product Safety

Safety Health Environment

Phone: +49 (0)4103 8006 0

Fax: +49 (0)4103 8006 100

E-mail: [productsafety@medac.de](mailto:productsafety@medac.de)

Theaterstrasse 6

22880 Wedel

Germany

**Geschäftsführer:**

Jens Denker

Dr. Rainer Dickhardt

Jörg Hans

Dr. Ulrich Kosciessa

Nikolaus Graf Stolberg

Heiner Will

**Registergericht:**

Pinneberg HRB 12042 PI

**Umsatzsteuer ID:**

DE 118579535