

medac GmbH | Postfach 1355 | 22880 Wedel

To whom it may concern:

Sitz der Gesellschaft:

medac GmbH
Theaterstraße 6
22880 Wedel
Germany

Tel.: +49 (0)4103 8006-0
Fax: +49 (0)4103 8006-100
www.medac.de

**Information about Compilation of Safety Data Sheets
for products from the company SeraCare Life Sciences, Inc.**

Products:

**HistoMark Biotin-Streptavidin Peroxidase Kit, Mouse Primary Antibody,
article number: 5520-0023**

**HistoMark Biotin-Streptavidin Peroxidase Kit, Rabbit Primary Antibody,
article number: 5520-0024**

All components of the aforementioned mixtures had been classified according to Regulation (EC) No. 1907/2006 (REACH) and to Regulation (EC) No. 1272/2008 (GHS/CLP). None of the components had been classified as hazardous mixtures according to the aforementioned Regulations. Therefore, no Safety Data Sheets had been compiled. When handling the HistoMark Biotin-Streptavidin Peroxidase Kit, Mouse Primary Antibody and the HistoMark Biotin-Streptavidin Peroxidase Kit, Rabbit Primary Antibody, the general and specific safety precautions for laboratories and the corresponding directives have to be followed.

Date of issue: March 2017

medac

Product Safety
Safety Health Environment
Phone: +49 (0)4103 8006 0
Fax: +49 (0)4103 8006 100
E-mail: productsafety@medac.de

Theaterstrasse 6
22880 Wedel
Germany

Geschäftsführer:

Jens Denker
Dr. Rainer Dickhardt
Jörg Hans
Dr. Ulrich Kosciessa
Nikolaus Graf Stolberg
Heiner Will

Registergericht:

Pinneberg HRB 12042 PI

Umsatzsteuer ID:

DE 118579535