

medac GmbH | Postfach 1355 | 22880 Wedel

Sitz der Gesellschaft:  
medac GmbH  
Theaterstraße 6  
22880 Wedel  
Germany

Tel.: +49 (0)4103 8006-0  
Fax: +49 (0)4103 8006-100  
[www.medac.de](http://www.medac.de)

## Information about Compilation of Safety Data Sheets

**Product:** Histofine® Simple Stain™ Rat MAX PO (G)  
**Company:** Nichirei Biosciences Inc.  
**Article number:** 414331F

All components of the aforementioned kit had been classified according to Regulation (EC) No. 1907/2006 (REACH) and to Regulation (EC) No. 1272/2008 (GHS/CLP).

None of the components had been classified as hazardous substances according to these Regulations. Therefore, no Safety Data Sheets had been compiled.

When handling the kit components, the general and specific safety precautions for laboratories and the corresponding directives have to be followed.

Date of issue: December 2017

**medac**

Product Safety  
Safety Health Environment  
Phone: +49 (0)4103 8006 0  
Fax: +49 (0)4103 8006 100  
E-mail: [productsafety@medac.de](mailto:productsafety@medac.de)

Theaterstrasse 6  
22880 Wedel  
Germany

**Geschäftsführer:**  
Jens Denker  
Dr. Rainer Dickhardt  
Jörg Hans  
Dr. Ulrich Kosciessa  
Nikolaus Graf Stolberg  
Heiner Will

**Registergericht:**  
Pinneberg HRB 12042 PI

**Umsatzsteuer ID:**  
DE 118579535